

McElroy TracStar® No.28 and No.28 Combination



The TracStar® No.28 is a self-contained, self-propelled, all-terrain hydraulic fusion machine. The machine allows for butt fusion of most fittings without special holders or removal of the outer jaw. It fits in a standard long box truck bed for easy transport. The carriage may be easily removed for in-ditch use.



The TracStar® No.28CU (Combination Unit) is a self-contained, self-propelled, all-terrain hydraulic fusion machine that will butt fuse all pipe sizes from 2" IPS to 8" DIPS (63 mm - 225 mm). The TracStar® No.28 CU adds saddle fusion capability of up to an 8" IPS (200mm) branch saddle on any size main.

The above No.28 machines also incorporate McElroy's Patented Centerline Guidance System and are DataLogger™ compatible.

L 94.5" (2,400 mm)
W 42.5" (1,080 mm)
H 50" (1,270 mm)
WEIGHT 1,320 lbs. (598.7 Kg)

**McElroy TracStar®
No.28 and No.28CU***
Fusion capability for
**2" IPS - 8" DIPS Pipe
(63 mm - 225mm).**

*Fusion capability of up to 8" IPS
Branch Saddle on any size main.
*Max. DIPS Capability 8" DIPS



McElroy
Fusion
Equipment

1-800-345-ISCO

www.isco-pipe.com

McElroy TracStar® No.412 Fusion Machine



Optional hydraulic clamping available for this unit

The TracStar® No.412 is a self-contained, self-propelled, all-terrain hydraulic fusion machine. The machine allows for butt fusion of most fittings without special holders or removal of the outer jaw. It fits in a standard long box truck bed for easy transport. The carriage may be easily removed for in-ditch use. It also incorporates McElroy's patent-pending Centerline Guidance System and is DataLogger™ Compatible.

McElroy TracStar® No.412

will butt fuse all pipe sizes from **4" IPS - 12" DIPS Pipe (110 mm - 340 mm).**

*Max. DIPS Capability 12" DIPS



L 99" (2,515 mm)

W 53" (1,346 mm)

H 53" (1,346 mm)

WEIGHT

1,500 lbs.

(680.3 Kg)

McElroy Fusion Equipment

1-800-345-ISCO

www.isco-pipe.com



**McElroy TracStar® No.618
Fusion Machine**



**Optional hydraulic clamping
available for this unit**

The TracStar® No.618 is a self-contained, self-propelled, all-terrain hydraulic fusion machine. The machine allows for butt fusion of most fittings without special holders or removal of the outer jaw. It fits in a standard long box truck bed for easy transport. The carriage may be easily removed for in-ditch use. It incorporates McElroy's Patented Centerline Guidance System and is DataLogger™ compatible.

**McElroy TracStar®
No.618**

will butt fuse all pipe sizes from
**6" IPS - 18" OD Pipe
(180 mm - 450 mm).**

***Max. DIPS Capability 16" DIPS**



L 99" (2,515 mm)


W 56" (1,422 mm)

H 57" (1,448 mm)

WEIGHT

2,000 lbs.

(907.1 Kg)



**McElroy
Fusion
Equipment**

1-800-345-ISCO

www.isco-pipe.com

**McElroy TracStar® 500
Series II Fusion Machine**



**Coming
Soon!**

**Optional hydraulic clamping
available for this unit**

The TracStar 500 Series II brings added versatility to the original TracStar. It is a hydraulic fusion machine that is self-contained, self-propelled and mobile in all-terrain. It will butt fuse all pipe sizes from 6" IPS - 20" OD (180mm - 500mm). The unit is available with either the Coach™ fusion control system, or conventional McElroy hydraulic controls with DataLogger™ capabilities. The machine also incorporates McElroy's patented Centerline Guidance System. It fits in a standard long box truck bed for easy transport. The carriage may be easily removed for in-ditch use. It is powered by a quiet, liquid cooled diesel engine.



**McElroy TracStar®
500 Series II**

**will butt fuse all pipe sizes from
6" IPS - 20" OD Pipe
(180 mm - 500 mm).**

***Max. DIPS Capability 18" DIPS**

L 95" (2,413 mm)

W 63" (1,600 mm)

H 53" (1,346 mm)

WEIGHT

2,700 lbs.

(1,225 Kg)

**McElroy
Fusion
Equipment**

1-800-345-ISCO

www.isco-pipe.com



McElroy TracStar® 630 & 900 Fusion Machine



The TracStar 630 and 900 are self-contained, self-propelled, all-terrain hydraulic fusion machines. The units are available with either the Coach™ Fusion Control system or conventional McElroy controls with Datalogger™ capabilities. The rubber tracked - unit is powered by a quiet, liquid cooled diesel engine. Wireless remotes provide full control of the TracStar® 630 and 900 for precision placement, and optimum visibility on the job site.

McElroy TracStar® 630
will butt fuse all pipe sizes from
8" IPS - 24" OD Pipe
(225 mm - 630mm).

***Max. DIPS Capability 20" DIPS**

L 142" (3,607 mm)

W 102" (2,591 mm)

H 79" (2,159 mm)

WEIGHT

8,600 lbs.

(3,900 Kg)

McElroy TracStar® 900
will butt fuse all pipe sizes from
12" IPS - 36" OD Pipe
(340 mm - 900mm).

***Max. DIPS Capability 30" DIPS**

L 142" (3,607 mm)

W 98" (2,489 mm)

H 82" (2,083 mm)

WEIGHT

9,300 lbs.

(4,218 Kg)



McElroy
Fusion
Equipment

1-800-345-ISCO

www.isco-pipe.com

